

Superior[®] Shelter





You Name It, We've Built It

At Superior Recreational Products, our 50+ years of experience has allowed us to provide shelter structures for nearly every outdoor location and application. Our shelter line delivers architectural designs that provide protection from the sun, rain, wind, and snow.

Our Top Features, Your Benefits



Proudly made in the USA



Hidden connections for a clean look



Sealed drawings to ensure shelters meet local building codes are available



Powder Coating Institute 4000 certified for our powder coat with epoxy primer



Prompt engineering services



Framework withstands high winds and snow loads

Certified Fabricator

We are a LADBS Certified Fabricator, City of Houston Registered Fabricator, and Clark County Approved Fabricator.



Design Tools



CADdetails

Select shelter models are available on CADdetails.com.




Space Planning Tool

See how many picnic tables will fit under your shelter by visiting srpshelter.com/design-tools.

What's Inside

- 02 Featured Projects
- 06 Square & Hexagon
- 08 Octagon & Hip End
- 10 Gable End & Monoslope
- 12 Dugout, Walkway, & Trellis
- 14 Mini, Kiosk, & Privacy
- 16 Design & Color Options
- 17 Warranty

NEW Featured New Products



Intersecting Gable | Page 11



Arched Cantilever Walkway | Page 13

Our Other Product Lines



Superior Shade

Standard and custom shade structures for nearly every outdoor location. Learn more at srpshade.com.



Superior Amenities

Picnic tables, benches, trash receptacles, dog park equipment, and more. Learn more at srpsiteamenities.com.



Superior Playgrounds

Commercial-grade playground structures and freestanding equipment. Learn more at srpplayground.com.

Ordering Made Easy

Contact your local Superior sales representative to start the ordering process. They can answer any questions and provide product pricing and shipping information. Find your local representative at srpshelter.com/find-a-rep.



FEATURED PROJECT

Corporate Commons Provides Shaded Lunch Pavilion for Tenants in Town Square

Staten Island, New York

FEATURED PRODUCTS

Custom 24' x 32' Monoslope

FEATURED COLORS

White Powder Coat Frame

Bone White Roof



FEATURED PROJECT

City of South Miami Creates Waterfront Pocket Park Along Ludlam Glades Canal

South Miami, Florida

FEATURED PRODUCTS

12' Square

FEATURED COLORS

Bronze Powder Coat Frame

Evergreen Roof



FEATURED PROJECT

City of Fallon Creates Shaded Seating Areas at Oats Park Splash Pad

Fallon, Nevada

FEATURED PRODUCTS

10' x 12' Hip End

20' x 40' Hip End

40' Square

FEATURED COLORS

Beige Powder Coat Frame

Regal Blue Roof



FEATURED PROJECT

Sun Outdoors Expands Comfort Station to Include Picnic Pavilion

Moab, Utah

FEATURED PRODUCTS


20' x 40' Gable End

FEATURED COLORS

Black Powder Coat Frame

Charcoal Roof





Square

four-sided shelter

Suggested applications include picnic shelter, cluster mailbox shelter, and outdoor classroom shelter.

AVAILABLE SIZES

- 12' • 24' • 40'
- 16' • 30' • 50'
- 20' • 36'

ROOF PITCHES

6:12 (Standard 7'6" Entry Height)
+/- 1:12 (Optional)



Square Duo-Top

four-sided shelter with clerestory style roof

Suggested applications include picnic shelter, rest area shelter, and farmer's market shelter.

AVAILABLE SIZES

- 16' • 30'
- 20' • 40'
- 24'

ROOF PITCHES

6:12 (Standard 7'6" Entry Height)
+/- 1:12 (Optional)



Hexagon

six-sided shelter

Suggested applications include picnic shelter, bench gazebo, and wedding gazebo.

AVAILABLE SIZES

- 16' • 28' • 40' • 64'
- 20' • 32' • 48'
- 24' • 36' • 58'

ROOF PITCHES

Varies by Size
+/- 1:12 (Optional)



Hexagon Duo-Top

six-sided shelter with clerestory style roof

Suggested applications include picnic shelter, bench gazebo, and wedding gazebo.

AVAILABLE SIZES

- 24' • 40' • 64'
- 28' • 48' • 76'
- 32' • 58'

ROOF PITCHES

8:12 (Standard)
+/- 1:12 (Optional)





Hexagon with Cupola
six-sided shelter with functional cupola


Suggested applications include picnic shelter, bench gazebo, and wedding gazebo.

AVAILABLE SIZES

- 14'
- 18'
- 22'

ROOF PITCHES

12:12 (Standard)
+/- 1:12 (Optional)



Octagon
eight-sided shelter

Suggested applications include picnic pavilion, carousel pavilion, and wedding gazebo.

AVAILABLE SIZES

- 16'
- 20'
- 24'
- 28'
- 32'
- 36'
- 40'
- 48'
- 58'
- 64'

ROOF PITCHES

5:12 (Standard)
+/- 1:12 (Optional)



Octagon Duo-Top
eight-sided shelter with clerestory style roof

Suggested applications include picnic pavilion, carousel pavilion, and wedding gazebo.

AVAILABLE SIZES

- 20'
- 24'
- 28'
- 32'
- 40'

ROOF PITCHES

5:12 (Standard)
+/- 1:12 (Optional)



Hip End
sloped roof shelter

Suggested applications include bleacher shelter, bus stop shelter, and portable restroom shelter.

MAXIMUM SIZES

- Length: 110'
- Width: 50'

ROOF PITCHES

4:12 (Standard)
+/- 1:12 (Optional)





Gable End
peaked roof shelter with gable style ends


Suggested applications include event space shelter, shelter, sport court cover, and picnic shelter.

MAXIMUM SIZES

- Length: 104'
- Width: 50'

ROOF PITCHES

4:12 (Standard)
+/- 1:12 (Optional)



Gable End Duo-Top
gable style ends with peaked, clerestory style roof


Suggested applications include event space shelter, farmer's market shelter, and picnic shelter.

AVAILABLE SIZES

- 16' x 24' • 20' x 34' • 24' x 64'
- 16' x 34' • 24' x 34' • 30' x 34'
- 20' x 24' • 24' x 44' • 30' x 44'

ROOF PITCHES

4:12 (Standard)
+/- 1:12 (Optional)



NEW Intersecting Gable
four-sided shelter with four gable style ends

Suggested applications include park entrance shelter, picnic shelter, or event space shelter.

AVAILABLE SIZES

- 12' • 24'
- 16' • 30'
- 20'

ROOF PITCHES

12:12 (Standard)
-1:12 (Optional)



Monoslope
rectangular shelter with single sloped roof

Suggested applications include walkway shelter, bleacher shelter, bus stop shelter, or dugout shelter.


AVAILABLE SIZES

- 10' x 21' • 20' x 30'
- 16' x 30' • 26' x 30'

ROOF PITCHES

1:12 (Standard with 7'6" Entry Height)
+1:12 (Optional)






NEW **Dugout**
rectangular shelter with sloped roof and circular columns

Suggested applications include dugout shelter or walkway shelter.

- AVAILABLE SIZES**
- 10' x 12' • 10' x 32'
 - 10' x 16' • 10' x 36'
 - 10' x 24' • 10' x 48'

ROOF PITCHES
1:12 (Standard)
+/- 1:12 (Optional)




NEW **Dugout Cantilever**
rectangular shelter with sloped roof and no front columns

Suggested applications include bleacher shelter, bus stop shelter, and dugout shelter.

- AVAILABLE SIZES**
- 8' x 12' • 10' x 12'
 - 8' x 16' • 10' x 16'
 - 8' x 20' • 10' x 20'

ROOF PITCHES
2:12 (Standard)
+/- 1:12 (Optional)



NEW **Arched Cantilever Walkway**
rectangular shelter with arched roof and no front columns

Suggested applications include walkway shelter, bus stop shelter, and bench shelter.

- AVAILABLE SIZES**
- 8' x 12' • 10' x 12'
 - 8' x 18' • 10' x 18'
 - 8' x 24' • 10' x 24'



Cantilevered Trellis
trellis with sloped roof design and no front columns

Suggested applications include walkway shade, garden shade, and bench shade.

- AVAILABLE SIZES**
- 9' x 16'
 - 9' x 28'
 - 9' x 40'

ROOF PITCHES
1.5:12 (Standard)





Gable Roof Design



Square Roof Design

Mini Shelter

small shelter with two columns

Suggested applications include picnic table shelter, cluster mailbox shelter, and bus stop shelter.

AVAILABLE SIZES

- | | |
|--------------------------|---------------------------|
| Gable Roof Design | Square Roof Design |
| • 8' x 9' | • 10' x 10' |
| • 12' x 12' | • 12' x 12' |



1-Column Design



3-Column Design

Kiosk

3-sided information kiosk

- Suggested applications include park welcome areas, apartments, and other entrance areas.
- Kiosks are 3-sided and come with weather-resistant, enclosed display cases that have a lockable door, shatter resistant window, and tack display board.

AVAILABLE SIZES

- | | |
|------------------------|------------------------|
| 1-Column Design | 3-Column Design |
| • 8' | • 8' |



Standard Panels



Windscreen Panels

Privacy Shelter

shelter with three sides enclosed

- Suggested applications include bus stop shelter and portable lavatory shelter.
- Enclosed on three sides with perforated metal screens.


AVAILABLE SIZES

- | | |
|------------------------|--------------------------|
| Standard Panels | Windscreen Panels |
| • 9' 2" x 9' 2" | • Single: 6' 8" x 6' 3" |
| • 10' 9" x 18' 4" | • Double: 6' 8" x 10' 6" |




Design Options


ORNAMENTAL LATTICE & GUARDRAILS



COLUMNS



METAL ROOF




CUPOLA

Our steel cupola is available for most shelter styles. The roof color of your cupola will match the roof color of your shelter.



BASE SHOE COVER

Structures engineered with exterior anchor bolts at finish grade can be hidden with base shoe covers.



OTHER OPTIONS

- Electrical Access and Cutouts
- Sealed Engineering
- Internal or External Anchor Bolts

Color Options

STEEL FRAME COLORS

Gloss



Matte or Metallic



METAL ROOF COLORS

Standard



Metallic



Not Painted



**Actual colors may vary slightly from those shown.*

Limited Warranty

10-YEAR PRO-RATED LIMITED WARRANTY

Superior Recreational Products (SRP) provides a 10-year pro-rated limited warranty from shipping date with the following limitations. SRP limits its warranty to the supply of materials that will assemble according to sealed engineered drawings and installation instructions, and can be assembled with normal expertise and with tools required and found in the construction trades. It is expressly understood that SRP's liability be limited to repair or replacement of nonconforming material at time of delivery.

SRP does not warrant product for defects caused by erection, harsh site conditions, lack of maintenance, and/or other conditions beyond SRP's control. SRP will not be held responsible for any materials that were not properly stored prior to installation. SRP reserves the right to void the limited warranty if it not installed per the installation instructions and/or unauthorized modifications.

SRP shall not be held liable for field alterations. SRP shall only be liable for meeting the building code indicated on the sealed engineered drawings.

Any replacement part under warranty is warranted for the remaining original warranty period or six (6) months, whichever is longer.

This Limited Warranty supersedes all other warranties expressed or implied. The warranty on items not manufactured by SRP (i.e. metal roofing, shingles, wood shelters), will be as passed through SRP's supplier as per their warranty; contact Customer Service for this Supplier Warranty.

This Limited Warranty is conditional upon payment in full to SRP within terms. Liability under this Warranty is limited in that it shall not exceed the original sales price of the components as supplied by SRP.



Powder Coat Warranty

This limited warranty is for the factory applied Superdurable powder coating. This 10-year pro-rated limited warranty is intended to define the obligations and limitations of the purchaser as well as the obligations and limitations of the supplier. This limited warranty is only valid if SRP has been paid in full for the cost of the shelter.

Damage occurring from shipping, erection, vandalism, accidents, or field modifications will require field touch-up immediately and periodically thereafter, which is not covered in this limited warranty.

Exposed nuts and bolts will either be supplied with a light plating or powder coating. It is the responsibility of the contractor to paint and/or touch up the nuts and bolts after erection and these must be maintained by the customer.

The 10-year limited warranty will exclude buildings erected at sites where salt air, corrosive environment, high humidity or sprinkler systems come in contact with the shelter.

Failure to maintain finish system with annual touch-up and documented maintenance procedures will void the limited warranty.

Not covered by this limited warranty are acute angles, end plates, and other accessories that are prone to minor defects on occasions and will require touch-up by owner.

Failure of the coating will be defined when at least 8% of the total coated surface has significant loss of performance or appearance characteristics when compared to the original finish. Rust stains from roof trim, screws, and screw holes do not constitute a failure.

If a claim is made for paint failure a complete document must be provided by the owner. If a site visit is required by SRP the travel expenses will be covered by the customer prior to travel taking place. However, should the failure be determined to be under the limited warranty the customer will be reimbursed for these expenses. In the case of a failed paint system, SRP will repaint the structure with its best in-house system providing that the owner dismantles the structure and returns it to SRP. SRP will refinish the structure and ship it back to job site at their expense. The refinishing will not extend the original warranty of the paint system. The owner is responsible for erecting the building at their expense. As an alternative, SRP will pay customer up to the cost of the original paint system on a pro-rated basis for time left of the 10 year limited warranty.

Cancellation and Return Policy

To view our return policy, please visit superiorrecreationalproducts.com/returns.

Shipping Policy

To view our shipping policy, please visit superiorrecreationalproducts.com/shipping-policy.

View online at srpshelter.com/warranty.

Certified Fabricator



- LADBS Certified Fabricator
 - City of Houston Registered Fabricator
 - Clark County Approved Fabricator
- *Certificates available upon request.*





1050 Columbia Drive
Carrollton, GA 30117

866.586.7794
sales@siibrands.com
srpshelter.com

 Made in the USA



Find Your Superior Shelter
Sales Representative
srpshelter.com/find-a-rep

